

CASTOR OIL COMMERCIAL

1 INTRODUCTION

The castor oil plant, *Ricinus communis*, is a species of flowering plant in the spurge family, *Euphorbiaceae*. Its [seed](#) is the castor bean which, despite its name, is not a true [bean](#). Castor is indigenous to the south-eastern [Mediterranean Basin](#), [Eastern Africa](#), and [India](#), but is widespread throughout tropical regions. Castor seed is the source of [castor oil](#), which has a wide variety of uses. The seeds contain between 40% and 60% oil that is rich in [triglycerides](#), mainly [ricinolein](#). The Indian variety of castor seed has an oil content of 48% but only 42% can be extracted. The [seed](#) contains [ricin](#), a [toxin](#), which is also present in lower concentrations throughout the plant and therefore castor oil is inedible.

2 PRODUCTS AND ITS APPLICATION:

Castor oil has many industrial applications as it is widely used in manufacturing of soaps, cosmetics, paint, varnishes, adhesives, lubricants etc. Being a mild laxative and smoothing agent, it is widely used in many medicinal preparations. It is used further for manufacturing of castor oil derivatives which again are valuable industrial chemicals having many applications

Proposed Product Mix:

The minimum viable capacity is to crush 55 tons of castor seeds per day. One can go up to 1 ton or 5 tons per day crushing capacity depending on market assurance and investment envisaged. Based on minimum crushing capacity, the followings are output of products:

Capacity Working	Unit	Qty
	TP	55.0
Castor seed Crushing Capacity	D	0
	TP	0.2
Castor seed Handling Losses	D	7
Castor seed Available for	TP	54.7

Processing	D	3
Capacity Working	Unit	Qty
Commercial Castor Oil	TP	22.9
Recovery	D	8
Castor Oil Losses	TP	0.1
	D	1
	TP	22.8
Castor Oil Actual Recovery	D	7
BSS Grade Castor Oil		10.0
Production	TPD	0
Commercial Castor Oil		12.8
Production	TPD	7
	TP	31.7
De-oiled Castor Cake	D	4
Actual Availability of De-oiled	TP	31.4
cake	D	2

3 DESIRED QUALIFICATION FOR PROMOTER:

As being this project is simple crushing technology, an entrepreneur with business sense, market penetrator and risk bearing capacity is preferable as castor seeds is a speculative market whereas selling of castor oil of commercial and BSS grades required hard efforts to penetrate the highly competitive market of this segment.

4 INDUSTRY OUTLOOK/TREND

Oil seeds processing industry is flourishing with increase in production of oil seeds under national oil seeds mission, increase in consumption of vegetable oils with industrialization and rising GDP of the country. As regards castor oil, the demand from domestic industry is increasing day by day with development of newer products and increasing exports of castor oil to large number of countries.

5 MARKET POTENTIAL AND MARKETING ISSUES, IF ANY:

India accounts for 91-93% of world exports of castor oil. The world export of castor oil in 2016-17 (up to March-2017) was 5.25 lakh tons in which India

contribution was 4.85 lakh tons. The expected consumption by end of 2017 is 7.00 Lakh tons whereas export is of 5.25 Lakh tons.

It is well known source of a monounsaturated, ricin oleic and 18-carbon fatty acid. Owing to its unique chemical structure and rich properties, castor oil and its derivatives find uses in many industries such as cosmetics, food, lubricants, paints, agriculture, electronics & telecommunications, pharmaceuticals, perfumeries, plastics and rubber, inks & adhesives and textile chemicals. After plant oils; castor oil is considered to be the most required oil. However, growing concerns pertaining to bio-fuels specially biodiesel and biopolymer across the globe is pushing castor oil to play a much larger role in the world economy

Castor Oil: World Supply & Demand Balance (x1000 tons)					
October to September					
Yrs.:	2016.17 P	2015.1 6	2014.1 5	2013.1 4	2012.1 3
Opening Stock	145	125	107	134	119
Production	655	705	675	541	675
Imports	524	567	495	496	518
EU-28	169	180	162	169	157
USA	50	49	61	57	54
China PR	225	247	189	189	229
Thailand	19	27	24	20	18
Exports	525	563	496	495	516
India	485	522	451	454	474
India's % share	92.38%	92.72%	90.93%	91.72%	91.86%
Consumption	690	688	657	667	662
Ending Stock	108	145	121	109	134

6 RAW MATERIAL REQUIREMENTS:

Gujarat is the highest castor seeds growing state in India contributing 90% of total indigenous production. The season for castor seed is considered from December to March and arrival is continuing up to May. The processing is continue up to May or Mid June, i.e., approximately 260 days in a year. Based on capacity of 55 tons per day, the processor needs approximate 14,300 MT of

castor seeds per annum which is abundantly available in Gujarat and other states like Rajasthan, Andhra Pradesh, and Telagana.

7 MANUFACTURING PROCESS:

Castor oil seed contains about 30%–50% oil (m/m) depending on variety. Castor oil can be extracted from castor beans by mechanical pressing, solvent extraction, or a combination of pressing and extraction. After harvesting, the seeds are allowed to dry so that the seed hull will split open, releasing the seed inside. The extraction process begins with the removal of the hull from the seeds. This can be accomplished mechanically with the aid of a castor bean dehuller or manually with the hands. When economically feasible, the use of a machine to aid in the de-hulling process is more preferable. After the hull is removed from the seed, the seeds are then cleaned to remove any foreign materials such as sticks, stems, leaves, sand, or dirt.⁷⁵ These materials can usually be removed using a series of revolving screens or reels. Magnets used above the conveyer belts can remove iron. The seeds can then be heated to harden the interior of the seeds for extraction. In this process, the seeds are warmed in a steam-jacketed press to remove moisture, and this hardening process will aid in extraction. The cooked seeds are then dried before the extraction process begins. A continuous screw or hydraulic press is used to crush the castor oil seeds to facilitate removal of the oil (Fig. 5). The first part of this extraction phase is called prepressing. Prepressing usually involves using a screw press called an oil expeller. The oil expeller is a high-pressure continuous screw press to extract the oil.

8 MANPOWER REQUIREMENT:

Sr. No	Category	Persons
1	Technical Staff	5
2	Adm. Staff	4
3	Marketing Staff	4
4	Labour	20
	Total	33

9 IMPLEMENTATION SCHEDULE:

Project Stages	MONTHS									
	1	2	3	4	5	6	7	8	9	10
Purchase of Land	Yellow	Yellow	Yellow							
Completion of Building	Green	Green	Green	Green						
Ordering of Machinery	Grey	Grey								
Delivery of Machinery			Orange	Orange	Orange					
Term/Wkg Loan Sanction		Blue	Blue	Blue	Blue					
Installation of Machinery					Green					
Commissioning of Plant						Red				
RM/Inputs Procurement					Yellow					
Manpower Appointments					Blue					
Commercial Production							Green			

10 COST OF PROJECT:

Sr. No.	Heads	Basis		Rs. Lakh
1	Land	1,000.00	1,000.00	10.00
2	Building	500.00	9,000.00	45.00
3	Machinery			95.00
4	P&P Expenses			5.00
	Total:			155.00

11 MEANS OF FINANCE:

Sr. No.	Heads	Basis	Rs. Lakh
1	Promoters' Capital	25% of project cost	38.75
2	Term Loan	Max. 65% of Fixed Cap. Invest.	81.25
3	MOFPI Subsidy	Max. Rs. 50 L or 25% of Cost	35.00
	Total		155.00

12 WORKING CAPITAL CALCULATION:

Particulars	Total Amount	Stock Period Days	Value of Stock Period	Promoter Margin	Promoter Share	Bank Borrowings
Raw Material	6,292.00	15	314.60	0.60	188.76	125.84
Packing Material	91.00	30	9.10	0.75	6.83	2.28
Work in Process	6,956.75	3	69.57	0.40	27.83	41.74
FP Stock	6,798.92	15	339.95	0.40	135.98	203.97
Bills Receivable	6,798.92	15	339.95	0.40	135.98	203.97
Working Expense	25.00	30	2.50	1.00	2.50	0.00
Total:	26,962.60		1,075.66		497.87	577.79

13 LIST OF MACHINERY REQUIRED:

Sr. No	Equipment	Qty
1	Seed Crushing Expellers Sets	Lot
2	Support, Platfor & Fabrication	Lot
3	Castor Oil Pipelines & Fittings	Lot
4	Boiler, Pipelines, Chimney etc	Lot
5	DG Set of 400 KVA	1
6	Weigh Bridge 60 Tons	1
7	Laboratory Equipments	Lot
8	Fire Fighting Equipments	Lot
9	Workshop Equip./Essential Spares	Lot
10	Furniture/Fixtures/Computers etc.	Lot
11	Erection/Commissioning etc.	Lot

- Brissun Technologies Private Limited
19A Building B Premier Plaza,
Old Mumbai Pune Highway,
Tal Maval, Chinchwad,
Pune - 411019
Maharashtra
- Gopal Expeller Co.
Plot No. 4146,

Guru Nanak Street No 7,
 Maya Street,
 Guru Nanak Market,
 Ludhiana - 141003
 Punjab

14 PROFITABILITY CALCULATIONS:

Sr. No.	Particulars	Year 1	Year 2	Year 3	Year 4	Year 5
A	Gross Sales	4759.2	5439.1	6119.0	6119.0	6119.02
		44	36	28	28	8
	Less:					
1	Raw Materials, Rs. 1/lit	4404.4	5033.6	5662.8	5662.8	5662.8
2	Packing Material	63.7	72.8	81.9	81.9	81.9
3	Fuel	14.56	16.64	18.72	18.72	18.72
4	Power	80.724	92.256	103.78	103.78	103.788
				8	8	
5	Manpower	26.676	30.096	33.516	33.516	33.516
6	Depreciation	21.525	24.6	27.675	27.675	27.675
7	Sundry Expenses	8.4	9.6	10.8	10.8	10.8
8	Interest on Term Loan	6.825	7.8	8.775	8.775	8.775
9	Interest on WC Loan	62.734	71.696	80.658	80.658	80.658
10	Repairs & Maintenance	7	8	9	9	9
B	Production Cost	4696.5	5367.0	6037.6	6037.6	6037.63
		44	88	32	32	2
C	Gross Profit (A-B):	62.7	72.048	81.396	81.396	81.396
	Taxes @ 30%		21.614	24.418	24.418	
		18.81	4	8	8	24.4188
	Net Profit		50.433	56.977	56.977	
		43.89	6	2	2	56.9772

The proposed unit will have the production capacity of 55 MT per day of castor oil. The unit cost of power is taken at Rs. 8. The depreciation on building is taken at the rate of 5% whereas for plant and machinery it is at 10%.

The average sales price of castor oil is taken at the rate of Rs.1, 14,000 per MT for proposed project.

15 BREAKEVEN ANALYSIS:

Break Even Point	
Annual Fixed Cost x100/ Annual Fixed Cost + Profit	62.19

16 STATUTORY/ GOVERNMENT APPROVALS

There is statutory requirement of MSME & GST registration, IEC Code for Export of end products and local authority clearance may be required for Shops and Establishment, for Fire and Safety requirement and registration for ESI, PF and Labour laws may be required if applicable. Entrepreneur may contact State Pollution Control Board where ever it is applicable.

17 BACKWARD AND FORWARD INTEGRATION

As part of forward linkages, the entrepreneur may think of producing medicinal castor oil, castor oil derivatives such as hydrogenated castor oil, dehydrated castor oil, heptaldehyde etc. there is little scope for backward integration.

18 TRAINING CENTERS/COURSES

The supplier of plant and machinery for castor oil provide technical help and training to the manpower.

Udyamimitra portal (link : www.udyamimitra.in) can also be accessed for handholding services viz. application filling / project report preparation, EDP, financial Training, Skill Development, mentoring etc.

Entrepreneurship program helps to run business successfully is also available from Institutes like Entrepreneurship Development Institute of India (EDII) and its affiliates all over India.

Disclaimer:

Only few machine manufacturers are mentioned in the profile, although many machine manufacturers are available in the market. The addresses given for machinery manufacturers have been taken from reliable sources, to the best of

knowledge and contacts. However, no responsibility is admitted, in case any inadvertent error or incorrectness is noticed therein. Further the same have been given by way of information only and do not carry any recommendation.

Source:- Udyami Mitra/Sidbi