

Bid Document

Bid Details	
Bid End Date/Time	06-11-2018 11:00:00
Bid Validity	90 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organization Name	N/a
Office Name	Kharagpur
Total Quantity	25
Item Category	chairs-office
MSME Exemption For Years Of Experience And Turnover	Yes

Chairs-office (25)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	false	*
	Chair Type	With Arms	With Arms , Without Arms
	Type of Seat and Backrest	Padded with Polyurethane Foam	Made of Polythene cane , Padded with Polyurethane Foam , moulded plywood , injection moulded Polypropylene , Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded polypropylene
	Frame Type	Cantilever	Cantilever , 4 Legs
	Castors	Without	With , Without

MATERIAL	Type of Wood used in Polythene cane Chair	NOT APPLICABLE	solid wood , teak wood , hot pressed board , plastic net , NOT APPLICABLE
	Material of Fabric Back Cover	polyster	knitted with cane , leather foam , plastic net , leather , leatherite , polyster , N.A
	Thickness of Plywood used in Backrest IN MM (± 1 mm)	12 mm	12 mm , 15 mm , 18 mm , 20 mm , 25 mm , 30 mm , 35 mm , 40 mm , N.A
	Frame Material	MS	MS , wood , CRCA ERW round pipe , ERW pipe , CRCA pipe with wooden sheet , STAINLESS STEEL , STAINLESS STEEL 304 , STAINLESS STEEL 202 , chrome on MS
	Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M)	32 Kg/Cub.M	*
	Material of Fabric of Seat Cover	fabric	black leatherite , leather foam , plastic net , knitted with cane , fabric , polyurathane , N.A
	Density of Polyurethane Foam Used in Backrest ± 2 (Kg/Cub M)	32 Kg/Cub.M	*
	Thickness of Plywood used in Seat ± 1(mm)	12 mm	12 mm , 18 mm , 20 mm , 25 mm , 30 mm , 35 mm , 40 mm , N.A
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	220 Gram per Sq Meter	80 Gram per Sq Meter , 220 Gram per Sq Meter , 250 Gram per Sq Meter , 290 Gram per Sq Meter , N.A
	Arm Material	Polyurethane on metal	*
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	40 mm	25 mm , 50 mm , 62 mm , 65 mm , 70 mm , N.A , 40 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	40 mm	15 mm , 20 mm , 25 mm , 30 mm , 40 mm , 50 mm , 60 mm , 70 mm , 75 mm , 80 mm

	Shoe Type	PVC	*
DIMENSION	Size of Material (mm)	16 gauge tubular pipe	14 SWG 25 mm round pipe , 16 SWG 30 mm round pipe , 2 mm thick 25 mm tube , 40 mm teak wood , 16 gauge tubular pipe
	Chair Height ±15(mm)	1000 mm	700 mm , 750 mm , 800 mm , 830 mm , 850 mm , 890 mm , 950 mm , 1000 mm , 1050 mm , 1100 mm
	Seat Depth ±10(mm)	500 mm	350 mm , 400 mm , 430 mm , 450 mm , 500 mm , 550 mm , 580 mm , 600 mm , 650 mm , 720 mm
	Seat Width ±10 (mm)	550 mm	350 mm , 380 mm , 400 mm , 450 mm , 470 mm , 500 mm , 550 mm , 600 mm , 650 mm
	Seat Height IN MM ±5(mm)	500	400 , 430 , 460 , 480 , 500 , 380
	Backrest Width ±10(mm)	550 mm	350 mm , 380 mm , 400 mm , 430 mm , 450 mm , 500 mm , 550 mm , 480 mm
	Backrest Height ±10(mm)	750 mm	*
	Arm Length ±5(mm)	400 mm	200 mm , 250 mm , 300 mm , 350 mm , 400 mm , 450 mm , N.A , 470 mm , 490 mm
	Arm Width ±2(mm)	75 mm	25 mm , 30 mm , 40 mm , 50 mm , 60 mm , 70 mm , 75 mm , N.A
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	black	*
	Paint Type	N.A	chrome , epoxy polyster , polished , synthetic enamel , powder coated on MS , N.A
	Colour of Paint	NA	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NA	*
	Test reports to be furnished to buyer	NO	YES , NO

	on demand		
	BIFMA certification	YES	YES , NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES , NO
	OEM of offered product is ISO 14001:2015 certified	YES	YES , NO
	OEM of offered product is ISO 18001:2007 certified	YES	YES , NO
WARRANTY	Warranty period in number of years	1	1 , 2 , 3 , 4 , 5

* Bold specifications are the golden parameters.

Consignees and Quantity

S.No.	Consignee	Address	Quantity	Delivery Days
1	Thirumalaiswamy Prasanna Venkatesan	721301, South Eastern Railway Kharagpur DRM Building P.O.- Kharagpur	25	15

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- Scope of supply (Bid price to include all cost components) :** Supply Installation Testing and Commissioning of Goods
- Procurement under this bid is reserved for purchase from :** Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category.
- Purchase preference will be given to MSME and Startup (Local supplier) :** (if L-1 is not from selected category and 4 / 5 Seller (s) from selected category has/have quoted price within L-1 + Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%) % of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and award contract for percentage of total value as defined/ decided in relevant policy) Micro and Small Enterprises from the State of Bid

Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%)

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---