

Dated: 02-01-2019



Bid Document

Bid Document			
Bid Details			
Bid End Date/Time	15-01-2019 11:00:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	15 (Days)		
Ministry/State Name	Ministry Of Defence		
Department Name	N/a		
Organisation Name	N/a		
Office Name	29 Wing Air Force		
Total Quantity	99		
Item Category	automotive vehicles pneumatic tyres, automotive vehicles pneumatic tyres		
MSE Exemption For Years Of Experience And Turnover	Yes		

Automotive Vehicles Pneumatic Tyres (33)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres	Normal Road Tyre	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre
	Tyres	Without Tube	Without Tube
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles:

		Pneumatic tyre for passenger car Vehicles- Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
Conformity to Indian Standrad for Pneumatic Tubes	NA for Tubeless TYRES	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
ISI MARKED (for Tyres)	Yes	Yes
CM/L No and validity date)(for Tyres	-	*
ISI MARKED (for Tubes)	NA for Tubeless and without tube	Yes, NA for Tubeless and without tube
CM/L No and validity date(for tubes)	-	*
Type of tube	NA for Tubeless and without tube	*
Manufactures name and Trade Name	-	*
Tyre-size Designations	7.50X16	*
Tube-size Designations	7.50X16	*
Structure of Tyre	Reinforced or Extra Load	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load
Ply Rating	16	*
Speed Category	-	*
Load indicas	-	*
Side Well (mm)	325	*
Inner area of Tyers (mm)	22.5	*
Section Width (min)(mm)	312	*
Overall Width (max)(mm)	12	*
Section Height (mm)	20	*
Nominal Aspect Ratio(mm)	8.5	*
Outer diameter (min)(mm)	1135	Any applicable numeric value

Nominal Rim Diameter(mm)	8.5	Any applicable numeric value
Maximum load Rating(%)	7.75	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	1	1, 2, 3

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM THAKUR	211012,29 Wing, Air Force Station Bamrauli, Allahabad	33	30

Automotive Vehicles Pneumatic Tyres (4)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres	Normal Road Tyre	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre
	Tyres	Without Tube	Without Tube
	Conformity to Indian Standrad for	IS:15633 latest for Automotive vehicles:	IS:15627 latest for Automotive vehicles:

Pneumatic Tyres	Pneumatic tyre for passenger car Vehicles- Diagonal and radial ply	Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles-Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply
Conformity to Indian Standrad for Pneumatic Tubes	NA for Tubeless TYRES	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
ISI MARKED (for Tyres)	Yes	Yes
CM/L No and validity date)(for Tyres	-	*
ISI MARKED (for Tubes)	NA for Tubeless and without tube	Yes, NA for Tubeless and without tube
CM/L No and validity date(for tubes)	-	*
Type of tube	NA for Tubeless and without tube	*
Manufactures name and Trade Name	-	*
Tyre-size Designations	235/70R16	*
Tube-size Designations	NA	*
Structure of Tyre	Radial	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load
Ply Rating	NA FOR RADIAL TYRES	*
Speed Category	-	*
Load indicas	-	*
Side Well (mm)	168	*
Inner area of Tyers (mm)	729	*
Section Width (min)(mm)	240	*
Overall Width (max)(mm)	736	*
Section Height (mm)	736	*

Nominal Aspect Ratio(mm)	730	*
Outer diameter (min)(mm)	736	Any applicable numeric value
Nominal Rim Diameter(mm)	16	Any applicable numeric value
Maximum load Rating(%)	925	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	1	1, 2, 3

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM THAKUR	211012,29 Wing, Air Force Station Bamrauli, Allahabad	4	30

Automotive Vehicles Pneumatic Tyres (4)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres		Normal Road Tyre, Special use Tyre: mixed used, Restricted speed:

		snow tyre
Tyres	With Tube	With Tube, Tubeless, Without Tube
Conformity to Indian Standrad for Pneumatic Tyres	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles- Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
ISI MARKED (for Tyres)	Yes	Yes
CM/L No and validity date)(for Tyres	-	*
ISI MARKED (for Tubes)	Yes	Yes, NA for Tubeless and without tube
CM/L No and validity date(for tubes)	-	*
Type of tube	Class-A	*
Manufactures name and Trade Name	-	*
Tyre-size Designations	9.00-20	*
Tube-size Designations	9.00-20	*
Structure of Tyre	Bias-belted	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load
Ply Rating	16 PLY	*
Speed Category	-	*
Load indicas	-	*
Side Well (mm)	260	*
Inner area of Tyers (mm)	260	*
Section Width (min)(mm)	260	*

Overall Width (max)(mm)	1040	*
Section Height (mm)	1040	*
Nominal Aspect Ratio(mm)	20	*
Outer diameter (min)(mm)	1040	Any applicable numeric value
Nominal Rim Diameter(mm)	7	Any applicable numeric value
Maximum load Rating(%)	8.15	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	1	1, 2, 3

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM THAKUR	211012,29 Wing, Air Force Station Bamrauli, Allahabad	4	30

Automotive Vehicles Pneumatic Tyres (13)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres	Special use Tyre: mixed used	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre
	Tyres	With Tube	With Tube, Tubeless, Without Tube
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles. Diagonal and radial ply IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
	Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
	ISI MARKED (for Tyres)	Yes	Yes
	CM/L No and validity date)(for Tyres	-	*
	ISI MARKED (for Tubes)	Yes	Yes, NA for Tubeless and without tube
	CM/L No and validity date(for tubes)	-	*
	Type of tube	Class-A	*
	Manufactures name and Trade Name	-	*
	Tyre-size Designations	1000x20, 16PR	*
	Tube-size Designations	1000x20	*
	Structure of Tyre	Reinforced or Extra Load	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load
	Ply Rating	16	*
	Speed Category	-	*
	Load indicas	-	*
	Side Well (mm)	325	*

Inner area of Tyers (mm)	22.5	*
Section Width (min)(mm)	312	*
Overall Width (max)(mm)	12	*
Section Height (mm)	312	*
Nominal Aspect Ratio(mm)	20	*
Outer diameter (min)(mm)	1135	Any applicable numeric value
Nominal Rim Diameter(mm)	8.5	Any applicable numeric value
Maximum load Rating(%)	3725	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	1	1, 2, 3

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM THAKUR	211012,29 Wing, Air Force Station Bamrauli, Allahabad	13	30

Automotive Vehicles Pneumatic Tyres (24)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres	Normal Road Tyre	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre
	Tyres	Without Tube	With Tube, Tubeless, Without Tube
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles- Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
	Conformity to Indian Standrad for Pneumatic Tubes	NA for Tubeless TYRES	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
	ISI MARKED (for Tyres)	Yes	Yes
	CM/L No and validity date)(for Tyres	-	*
	ISI MARKED (for Tubes)	NA for Tubeless and without tube	Yes, NA for Tubeless and without tube
	CM/L No and validity date(for tubes)	-	*
	Type of tube	NA for Tubeless and without tube	*
	Manufactures name and Trade Name	-	*
	Tyre-size Designations	F-78-15	*
	Tube-size Designations	NA	*
	Structure of Tyre	Bias-belted	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load

Ply Rating	4ply	*
Speed Category	-	*
Load indicas	-	*
Side Well (mm)	110	*
Inner area of Tyers (mm)	100	*
Section Width (min)(mm)	6	*
Overall Width (max)(mm)	6.5	*
Section Height (mm)	15	*
Nominal Aspect Ratio(mm)	15	*
Outer diameter (min)(mm)	605	Any applicable numeric value
Nominal Rim Diameter(mm)	565	Any applicable numeric value
Maximum load Rating(%)	565	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	1	1, 2, 3

^{*} Bold specifications are the golden parameters.

	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM	211012,29 Wing, Air Force	24	30

THAKUR	Station Bamrau	li, Allahabad	l
			ı

Automotive Vehicles Pneumatic Tyres (17)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres	Normal Road Tyre	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre
	Tyres	Without Tube	With Tube, Tubeless, Without Tube
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles- Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
	Conformity to Indian Standrad for Pneumatic Tubes	NA for Tubeless TYRES	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
	ISI MARKED (for Tyres)	Yes	Yes
	CM/L No and validity date)(for Tyres	-	*
	ISI MARKED (for Tubes)	NA for Tubeless and without tube	Yes, NA for Tubeless and without tube
	CM/L No and validity date(for tubes)	-	*
	Type of tube	NA for Tubeless and without tube	*
	Manufactures name and Trade Name	-	*
	Tyre-size Designations	195 70 R -15	*

Tube-size Designations	na	*
Structure of Tyre	Bias-belted	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load
Ply Rating	8	*
Speed Category	-	*
Load indicas	-	*
Side Well (mm)	325	*
Inner area of Tyers (mm)	25	*
Section Width (min)(mm)	24	*
Overall Width (max)(mm)	78	*
Section Height (mm)	98	*
Nominal Aspect Ratio(mm)	25	*
Outer diameter (min)(mm)	315	Any applicable numeric value
Nominal Rim Diameter(mm)	233	Any applicable numeric value
Maximum load Rating(%)	4200	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	1	1, 2, 3

^{*} Bold specifications are the golden parameters.

	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM THAKUR	211012,29 Wing, Air Force Station Bamrauli, Allahabad	17	30

Automotive Vehicles Pneumatic Tyres (2)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres	Special use Tyre: mixed used	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre
	Tyres	With Tube	With Tube, Tubeless, Without Tube
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles- Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
	Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
	ISI MARKED (for Tyres)	Yes	Yes
	CM/L No and validity date)(for Tyres	-	*
	ISI MARKED (for Tubes)	Yes	Yes, NA for Tubeless and without tube
	CM/L No and validity date(for tubes)	-	*
	Type of tube	Class-A	*
	Manufactures name	-	*

and Trade Name		
Tyre-size Designations	12.5 x 80	*
Tube-size Designations	12.5 x 80	*
Structure of Tyre	Reinforced or Extra Load	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load
Ply Rating	12	*
Speed Category	-	*
Load indicas	-	*
Side Well (mm)	457.2	*
Inner area of Tyers (mm)	2032	*
Section Width (min)(mm)	317.5	*
Overall Width (max)(mm)	2032	*
Section Height (mm)	2900	*
Nominal Aspect Ratio(mm)	457.2	*
Outer diameter (min)(mm)	1002	Any applicable numeric value
Nominal Rim Diameter(mm)	350	Any applicable numeric value
Maximum load Rating(%)	146	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	1	1, 2, 3

* Bold specifications are the golden parameters.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM THAKUR	211012,29 Wing, Air Force Station Bamrauli, Allahabad	2	30

Automotive Vehicles Pneumatic Tyres (2)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
Ungrouped	Category Of Pneumatic tyres	Normal Road Tyre	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre
	Tyres	Without Tube	With Tube, Tubeless, Without Tube
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles- Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
	Conformity to Indian Standrad for Pneumatic Tubes	NA for Tubeless TYRES	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES
	ISI MARKED (for Tyres)	Yes	Yes
	CM/L No and validity date)(for Tyres	-	*
	ISI MARKED (for Tubes)	NA for Tubeless and without tube	Yes, NA for Tubeless and without tube

		·
CM/L No and validity date(for tubes)	-	*
Type of tube	NA for Tubeless and without tube	*
Manufactures name and Trade Name	-	*
Tyre-size Designations	275*18	*
Tube-size Designations	275*18	*
Structure of Tyre	Radial	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load
Ply Rating	14	*
Speed Category	-	*
Load indicas	-	*
Side Well (mm)	22	*
Inner area of Tyers (mm)	19	*
Section Width (min)(mm)	19	*
Overall Width (max)(mm)	22	*
Section Height (mm)	20	*
Nominal Aspect Ratio(mm)	120	*
Outer diameter (min)(mm)	275	Any applicable numeric value
Nominal Rim Diameter(mm)	18	Any applicable numeric value
Maximum load Rating(%)	150	Any applicable numeric value
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of	-	*

1	the Lab where test Conducted		
1	Others Certificate ie ROHS,WHO,GMP etc	-	*
	Warranty Time	1	1, 2, 3

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	RUPAL SONAM THAKUR	211012,29 Wing, Air Force Station Bamrauli, Allahabad	2	30

EMD Detail

ll man tand	
LIRANIIFAN	I NO
Negarieu	INO

ePBG Detail

Required	No
•	

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2. **Procurement under this bid is reserved for purchase from :** Local Supplier as defined in Public Procurement (Preference to Make in India), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products.

This Bid is also governed by the General Terms and Conditions

---Thank You---