

Dated: 31-12-2018



### **Bid Document**

i				
Bid Details				
Bid End Date/Time	19-01-2019 09:00:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Maharashtra			
Department Name	Tribal Development Department Maharashtra			
Organisation Name	N/a			
Office Name	Mantralaya, Mumbai			
Total Quantity	5866			
Item Category	Steel tables , Class Room Desking and Seating , Restaurant Table			
Average Turn Over of Last 3 Years	500 Lakh (s)			
Experience with Gov. Required	3 Year (s)			
MSE Exemption For Years Of Experience And Turnover	No			

## Steel Tables (3087)

## **Technical Specifications**

### \* As per GeM Category Specification

Specification	<b>Specification Name</b>	Values	Allowed Values
GENERIC	Conformity to Indian Standard IS: 8126 Latest	No	*
	Storage	one side	one side
	Total Number of Storage Units	single storage	single storage
	Cup Board / Locker type Storage Units	one	*
	Type of Storage Units	OTHER DESIGNS	*
	Lock on all storage units	Provided	*
	Loading capacity of	500 kg	*

	table top in KG ( ±5 Kg)		
	Table Top Material and Thickness (±2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild steel rectangular section of out side minimum 30 mm X 20 mm & Wall thickness minimum 1.2 mm	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm, Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126), Mild steel rectangular section of out side minimum 30 mm X 20 mm & Wall thickness minimum 1.2 mm
	Table Top Length ±10(mm)	900	900.0
	Table Top Width ±10(mm)	600	600.0
	Table Height ±5(mm)	750	710, 735, 760, 800, 840, 850, 860, 750, 745, 725
MATERIAL	Foot Rest Material	Mild Steel square Section of size 25x25 mm and wall thickness minimum 1.6 mm	*
	Handles Material	Plastic (Not as per IS 8126)	*
	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	2.0 mm	*
	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)	0.6 mm M S Sheet (Not as per IS 8126)
	Shoes Material	PVC	*
DIMENSION	Width of Storage Unit ±5(mm)	355	*
	Depth of Storage Unit ±10(mm)	575	575.0
	Overall Height of Storage Units ±10 mm	380 mm	*
	Height of smallest Storage Compartment / Drawer ±3 mm	165 mm	*

	Height of medium size Storage Compartment / Drawer ±5 mm	165 mm	*
	Height of Largest Storage Compartment / Drawer ±5 mm	SAME AS MEDIUM	*
	Width of Locker / Cupboard type Storage unit	N.A	450 mm, 500 mm, 560 mm, N.A, 350 mm
	Depth of Locker / Cupboard type Storage unit	N.A	600 mm, 650 mm, 700 mm, 725 mm, N.A, 560 MM
	Height of Locker / Cupboard type Storage unit	N.A	*
MISC	Foot Rest Provided	YES	*
COLOUR & FINISH	Colour of Lamination	AS PER BUYER CHOICE	*
	Paint	Powder coated	*
	Colour of Paint	AS PER BUYER CHOICE	*
CERTIFICATION	ISI Marked	No	Yes, No
	BIS Licence No	NA	*
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	YES	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
	Green guard certification	YES	YES, NO
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

<sup>\*</sup> Bold specifications are the golden parameters.

## Consignees/Reporting Officer and Quantity

	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sanjay Meena	400604,Additional Tribal	3087	90

Commissioner Office. Vardan sankul, 9th Floor, In front of MIDC building, Wagle Estate, Road number	
16, Thane (West)	

# Class Room Desking And Seating ( 2355 )

## **Technical Specifications**

## \* As per GeM Category Specification

Specification	<b>Specification Name</b>	Values	Allowed Values
GENERIC	TYPE OF DESKING	ONLY SEATING	ONLY SEATING
	Desking Configuration	SINGLE SEATER	SINGLE SEATER
	Length of Desking, Seating and Backrest (if provided) in mm (±10 mm)	ONLY SEATING NO DESK	ONLY SEATING NO DESK
DESK / BENCH SPECIFICATIONS	Material of Desk Top +/- 2 mm (For shelf / storage +/- 4 mm)	ONLY SEATING NO DESK	ONLY SEATING NO DESK
	Material of Support Structure or Side Pannel	ONLY SEATING NO DESK	ONLY SEATING NO DESK
	Height of Desk Top in mm (±5 mm)	ONLY SEATING NO DESK	ONLY SEATING NO DESK
	Width of Desk Top in mm (± 5 mm)	ONLY SEATING NO DESK	ONLY SEATING NO DESK
SEATING SPECIFICATION	Material of Seat and Backrest (if provided) (+/- 2 mm (For back rest +/- 4 mm)	20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side	*
	Material of Support Structure	Mild Steel square Section of size 25x25 mm and wall thickness minimum 1.6 mm	*
	Material of Seat Cushion	WITHOUT CUSHION	WITHOUT CUSHION
	Width of Seating in	400	400

	mm (±10 mm)		
	Height of Seat in mm (±10 mm)		460
	Width of backrest if provided in mm (± 5 mm)	470	*
	Back Support for Seating of Same materail as Seating	Provided without cushion	Provided without cushion
MISC	DESIGN AS PER DGS&D drawing No DQA/GE/RC -208/Schedule 19 (DRG 1,2,3,4,5,6,7,8,9,10)	NO	*
	Colour of finish	As per buyer's choice	*
	Desk top finishing	NA	*
	Distance between Tabletop edge and Seat edge in mm (+/- 5 mm)	NA	*
WARRANTY	Warranty period in number of years	1	1

<sup>\*</sup> Bold specifications are the golden parameters.

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sanjay Meena	400604,Additional Tribal Commissioner Office. Vardan sankul, 9th Floor, In front of MIDC building, Wagle Estate, Road number 16, Thane (West)	2355	90

## Restaurant Table ( 424 )

## **Technical Specifications**

### \* As per GeM Category Specification

Specification	Specification Name	Values	Allowed Values
GENERIC	Shape of Table	Rectangular	Rectangular
	Seating Capacity	6	6
MATERIAL	Material of top	Medium density fiber board	Medium density fiber board
	Material of understructure	Powder Coated MS	Powder Coated MS
	Material of top finish	Polyurethane	Polyurethane

DIMENSION	Length of table ±10mm (Diameter in case of Round)	1600 mm	1600 mm
	Depth of table ±10mm	1100 mm	1100 mm
	Height of table ±10mm	750 mm	*
	Thickness of top in mm (+/- 5%)	25 mm	*
	Shape and Dimension of Base	-	*
MISC	Number of vertical support	4	*
	Under Structure Diameter of Pipes (Width in case of Square sections) in mm	30	*
	Vertical Support Diameter of Pipes (Width in case of Square sections) in mm	30	*
COLOUR & FINISH	Colour of top finish	red,yellow	*
WARRATY	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	BIFMA certification	NO	*
	OEM of offered product is ISO 9001:2015 certified	YES	*
	OEM of offered product is ISO 14001:2015 certified	YES	*
	OEM of offered product is ISO 18001:2007 certified	YES	*

<sup>\*</sup> Bold specifications are the golden parameters.

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sanjay Meena	400604,Additional Tribal Commissioner Office. Vardan sankul, 9th Floor, In front of MIDC building, Wagle Estate, Road number 16, Thane (West)	424	90

#### **EMD Detail**

Advisory Bank	AXIS BANK LTD
EMD Percentage(%)	1.00
EMD Amount	439016

#### ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

#### **Splitting**

Bid splitting not applied.

## **Buyer Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods
- 2. Dedicated toll Free Telephone No. for Service Support: BIDDER /OEM must have Dedicated toll Free Telephone No. for Service Support
- 3. Escalation Matrix For Service Support: Bidder /OEM must provide Escalation Matrix of Telephone Numbers for Service Support
- 4. Timely Servicing / rectification of defects during warrantee period: After having been notified of the defects / service requirement during warrantee period, Seller has to complete the required Service / Rectification within time limit specified. If the Seller fails to complete service / rectification with defined time limit, a penalty of defined % of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).
  - (i) Time Limit for Service / Rectification of defects will be as defined in the SLA document for the service.
  - (ii) Penalty per week of delay as % of unit price of product will be as defined in the SLA document for the service.
  - Seller to give compliance Yes / No while submitting bid.
- 5. The Purchaser reserves the right to increase or decrease the ordered quantity up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the contracted qty up to 25% during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly

This Bid is also governed by the General Terms and Conditions

---Thank You---