

Dated: 10-01-2019



Bid Document

Bid Bocument				
Bid Details				
Bid End Date/Time	22-01-2019 09:00:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	15 (Days)			
Ministry/State Name	Ministry Of Defence			
Department Name	Department Of Defence			
Organisation Name	N/a			
Office Name	Air Force Station, Bagdogra			
Total Quantity	18			
Item Category	lead acid battery , lead acid battery , lead acid battery , lead acid battery			
MSE Exemption For Years Of Experience And Turnover	Yes			

Lead Acid Battery (5)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
GENERIC	Types of Lead Acid of Battery	Lead-Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995	Lead-Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995
	Nominal Voltage of Battery (volts)	12.0 Volt	2.0 Volt, 6.0 Volt, 12.0 Volt
	Material of container	Polypropylene	Hard Rubber, Fibre Reinforced Plastics (FRP), Polypropylene, ABS
	Rated Capacity at C20 discharge (AH)	100	100
	Warranty (Years)	1 Year	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
	Battery Condition	Charged	*

CONSTRUCTIONAL	Dimensions (L x W x H) (mm x mm x mm)	As per relevant IS Specifications	*
	Volume of Electrolyte (ml)	7	*
	Weight of Dry Battery (Kg) shall be as per relevant IS: Specn., corresponding Ah	Yes.	*
	No.of cells per Battery (No.)	6 Cells for 12 Volt battery	*
CERTIFICATIONS	Availability of Test Reports from Central Govt./NABL/ILAC accrediated Lab showing conformity to the specifications	Yes	*
	Address of the Lab	Exide House, 59E Chowringhee Road, Elgin, Sreepally, Bhowanipore	*
	Name of the Lab	Exide Industries Limited	*
	Test Report No.	100LA	*
	Test Report Date	12-04-2013	*
	Compulsory Registration (CRS) of BIS for safety as per IS 16046 as applicable. Secondary Cells and (Batteries containing Alkaline or other non- acid Electrolytes-Safety Requirements for Portable sealed secondary cells, and for Batteries made from them for use in portable applications	NA	*

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Supriya Kumari	734421,Air Force Station, Bagdogra	5	15

Lead Acid Battery (2)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
GENERIC	Types of Lead Acid of Battery	Lead-Acid Storage Batteries for Motor Vehicles with Light weight and High Cranking Performance conforming to IS:14257/1995	Lead-Acid Storage Batteries for Motor Vehicles with Light weight and High Cranking Performance conforming to IS:14257/1995, Lead- Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995
	Nominal Voltage of Battery (volts)	12.0 Volt	2.0 Volt, 6.0 Volt, 12.0 Volt
	Material of container	ABS	Hard Rubber, Fibre Reinforced Plastics (FRP), Polypropylene, ABS
	Rated Capacity at C20 discharge (AH)	120	120
	Warranty (Years)	1 Year	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
	Battery Condition	Charged	*
CONSTRUCTIONAL	Dimensions (L x W x H) (mm x mm x mm)	As per relevant IS Specifications	*
	Volume of Electrolyte (ml)	45	*
	Weight of Dry Battery (Kg) shall be as per relevant IS: Specn., corresponding Ah	Yes.	*
	No.of cells per Battery (No.)	6 Cells for 12 Volt battery	*
CERTIFICATIONS	Availability of Test Reports from Central Govt./NABL/ILAC accrediated Lab showing conformity to the specifications	Yes	*
	Address of the Lab	GUARGRAM	*
	Name of the Lab	EXIDE	*
	Test Report No.	58836	*
	Test Report Date	12-10-2017	*

Portable sealed secondary cells, and for Batteries made from them for use in portable applications		secondary cells, and for Batteries made from them for use in	YES	*
--	--	--	-----	---

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Supriya Kumari	734421,Air Force Station, Bagdogra	2	15

Lead Acid Battery (9)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
GENERIC	Types of Lead Acid of Battery	Lead-Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995	Lead-Acid Storage Batteries for Motor Vehicles with Light weight and High Cranking Performance conforming to IS:14257/1995, Lead- Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995
	Nominal Voltage of Battery (volts)	12.0 Volt	2.0 Volt, 6.0 Volt, 12.0 Volt
	Material of container	Polypropylene	Hard Rubber, Fibre Reinforced Plastics (FRP), Polypropylene, ABS
	Rated Capacity at C20 discharge (AH)	150	150

	Warranty (Years)	1 Year	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
	Battery Condition	Charged	*
CONSTRUCTIONAL	Dimensions (L x W x H) (mm x mm x mm)	As per relevant IS Specifications	*
	Volume of Electrolyte (ml)	As applicable	*
	Weight of Dry Battery (Kg) shall be as per relevant IS: Specn., corresponding Ah	Yes.	*
	No.of cells per Battery (No.)	6 Cells for 12 Volt battery	*
CERTIFICATIONS	Availability of Test Reports from Central Govt./NABL/ILAC accrediated Lab showing conformity to the specifications	Yes	*
	Address of the Lab	BANGLORE	*
	Name of the Lab	Central Power Research Institute	*
	Test Report No.	372EATDBT1480047	*
	Test Report Date	21-OCTOBER-2014	*
	Compulsory Registration (CRS) of BIS for safety as per IS 16046 as applicable. Secondary Cells and (Batteries containing Alkaline or other non- acid Electrolytes-Safety Requirements for Portable sealed secondary cells, and for Batteries made from them for use in portable applications	YES	*

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Supriya Kumari	734421,Air Force Station, Bagdogra	9	15

Lead Acid Battery (2)

Technical Specifications

Specification	Specification Name	Values	Allowed Values
GENERIC	Types of Lead Acid of Battery	Lead-Acid Storage Batteries for Motor Vehicles with Light weight and High Cranking Performance conforming to IS:14257/1995	Lead-Acid Storage Batteries for Motor Vehicles with Light weight and High Cranking Performance conforming to IS:14257/1995, Lead- Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995
	Nominal Voltage of Battery (volts)	12.0 Volt	2.0 Volt, 6.0 Volt, 12.0 Volt
	Material of container	Polypropylene	Hard Rubber, Fibre Reinforced Plastics (FRP), Polypropylene, ABS
	Rated Capacity at C20 discharge (AH)	75	75
	Warranty (Years)	2 Years	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
	Battery Condition	Charged	*
CONSTRUCTIONAL	Dimensions (L x W x H) (mm x mm x mm)	As per relevant IS Specifications	*
	Volume of Electrolyte (ml)	4.8	*
	Weight of Dry Battery (Kg) shall be as per relevant IS: Specn., corresponding Ah	Yes.	*
	No.of cells per Battery (No.)	6 Cells for 12 Volt battery	*
CERTIFICATIONS	Availability of Test Reports from Central Govt./NABL/ILAC accrediated Lab showing conformity to the specifications	Yes	*
	Address of the Lab	Exide Industries Limited, hosur Taluk	*
	Name of the Lab	Exide Industries Limited	*

	Test Report No.	0983	*
	Test Report Date	23.10.2016	*
	Compulsory Registration (CRS) of BIS for safety as per IS 16046 as applicable. Secondary Cells and (Batteries containing Alkaline or other non- acid Electrolytes-Safety Requirements for Portable sealed secondary cells, and for Batteries made from them for use in portable applications	YES	*
* Pold coocifications are			

^{*} Bold specifications are the golden parameters.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Supriya Kumari	734421,Air Force Station, Bagdogra	2	15

EMD Detail

Required	No
Negariea	110

ePBG Detail

l I Doguirod	l No
i i Required	l No
11	

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 2. **Procurement under this bid is reserved for purchase from :** Local Supplier as defined in Public Procurement (Preference to Make in India), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products.
- 3. Purchase preference will be given to MSME and Startup (Local supplier): (if L-1 is not from selected category and 4 / 5 Seller (s) from selected category has/have quoted price within L-1 + Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME 15%), Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME 15%), Local Supplier as defined in Public

Procurement (Preference to Make in India - 20%), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products % of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and award contract for percentage of total value as defined/ decided in relevant policy) Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%), Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%), Local Supplier as defined in Public Procurement (Preference to Make in India - 20%), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products

This Bid is also governed by the General Terms and Conditions

---Thank You---