

RA Document RA Details				
RA End Date/Time	05-02-2019 10:00:00			
Ministry/State Name	Ministry Of Defence			
Department Name	Department Of Defence Research & Development			
Organisation Name	Defence Research And Development Organisation (drdo)			
Office Name	Terminal Ballistics Research Laboratory, chandigarh			
Total Quantity	8			
Item Category	almirah- Steel			
Auto Extension	If any seller submits price in last 15 minutes, the RA will be auto extended by 15 minutes (A maximum of 3 times)			
MSE Exemption For Years Of Experience And Turnover	Yes			

Almirah- Steel (8)

Technical Specifications

Specification	Specification Name	Values	
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes	
	No of shelves (Nos)	4	
	Type of Shelves	Adjustable	
	Locker Provided	No	
	Locking System with the locker	NA	

		1
	Cloth hanging provision in the Almirah	No
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos)	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	2
	Construction	Welded
	Lock	Three Way bolting device controlled by lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	5 mm thick Transparent Glass Sheet fixed in the MS sheet frame
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet ±10 (mm)	350 mm
	Width of Glass Sheet ± 10 (mm)	230 mm
	Sheet Thickness of door in mm	0.8 mm (Minimum)
	<u> </u>	

	1
Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
Sheet Thickness of Shelves	0.8 mm
Sheet Thickness of Pedestal in mm	0.8 mm (Minimum)
Material of Lock	steel
Material of Keys	steel
Height (Without Pedestal) (in mm) (+/- 10 mm)	1855
Width in mm (± 7 mm)	910
Depth in mm (±5 mm)	480
Inside Height of Locker in mm (± 5 mm)	N.A
Inside Width of Locker i mm (±5 mm)	N.A
Inside Depth of Locker in mm (±5 mm)	N.A
Width of Stiffner in mm (±5 mm)	N.A
Thickness of MS Sheet of Stiffner (in mm)	N.A
	Top and Bottom Sheet Thickness of Shelves Sheet Thickness of Pedestal in mm Material of Lock Material of Keys Height (Without Pedestal) (in mm) (+/- 10 mm) Width in mm (± 7 mm) Depth in mm (± 5 mm) Inside Height of Locker in mm (± 5 mm) Inside Width of Locker i mm (± 5 mm) Inside Depth of Locker in mm (± 5 mm) Width of Stiffner in mm (± 5 mm) Thickness of MS Sheet of

	Research Laboratory Ramgarh Range, Distt Panchkula This Bid is also governed by the General						
		34111,Terminal Ballistics 8		90		N/A	
S.No.	Consignee/Reporti ng Officer	Address	Quant	ity	Delivery Days		
	specifications are the nees/Reporting Offi						
WARRANTY		WARANTEE PERIOD IN NUMBER OF YEARS		1			
CERTIFI	RTIFICATION ISI marked			No			
		Packing:		Corrogeted Paper Packing			
		Colour of Paint	Colour of Paint		steel gray		
COLOUR & FINISH		Finish	Finish		powder coated		
		Pedestal Width in mm (±2	2 mm)	70			
		Stiffened Pedestal height in mm (±2 mm)		120			

---Thank You---