

Dated: 23-01-2019



## **Bid Document**

| Bid Document  |   |  |  |
|---|---|--|--|
| Bid Details   |   |  |  |
| Bid End Date/Time                                     | 13-02-2019 14:00:00   |  |  |
| Bid Life Cycle (From Publish Date)                    | 90 (Days)   |  |  |
| Bid Offer Validity (From End Date)                    | 65 (Days)   |  |  |
| Ministry/State Name                                   | Maharashtra   |  |  |
| Department Name                                       | Public Works Department Maharashtra   |  |  |
| Organisation Name                                     | N/a   |  |  |
| Office Name   | Best Undertaking, Mumbai  |  |  |
| Total Quantity  | 6   |  |  |
| Item Category   | computer servers , computer mouse or trackballs , operating system software |  |  |
| Average Turn Over of Last 3 Years                     | 23 Lakh (s)   |  |  |
| Experience with Gov. Required                         | 3 Year (s)  |  |  |
| MSE Exemption For Years Of Experience<br>And Turnover | Yes   |  |  |

# Computer Servers ( 2 )

## **Technical Specifications**

## \* As per GeM Category Specification

| Specification | Specification Name                              | Values | Allowed Values                  |
|---------------|---|--------|---------------------------------|
| Specification | Form Factor                                     | Rack   | Rack                            |
|               | Size (RU)                                       | 2      | *                               |
|               | Processor Make                                  | Intel  | Intel, AMD, SPARC, IBM<br>Power |
|               | Max. Number of sockets available on chipset     | 2      | 1 - 16                          |
|               | Max. Number of sockets populated with processor | 1      | 1 - 16                          |
|               | Number of core per<br>Processor                 | 16     | 16                              |

| Processor<br>Configuration  | Intel Xeon Gold 6130 (2<br>.10GHz/16-core/22MB/1<br>25W) | *           |
|---|--|-------------|
| Availability of Co-<br>Processor  | No   | *           |
| If Yes Co-Processor<br>Configuration  | NA   | *           |
| PCI Slots (Express Gen 3.0)   | 4  | *           |
| Type of RAM   | DDR4   | *           |
| RAM Size (GB)   | 128  | 128         |
| RAM upgradable upto (GB)  | 3072   | 32 - 24000  |
| DIMM Slots (No.)  | 24   | *           |
| Type of Hard Disk<br>Drive  | SAS  | SAS         |
| Hard disk drive<br>Capacity (GB)  | 12000  | 300 - 12000 |
| Hard disk drive Speed (RPM)   | 10K  | *           |
| RAID Controller Cache<br>(MB)   | 2048   | *           |
| RAID Type   | 6  | *           |
| RAID Controller Ports<br>@12 Gbps   | 2  | *           |
| Video Controller<br>(support VGA or above<br>resolution)  | Yes  | *           |
| Keyboard  | Yes  | *           |
| Mouse   | Yes  | *           |
| Bays (min. 2 internal or more hot plug)   | 16   | *           |
| USB Ports (version 2.0/3.0)   | 3  | *           |
| Certifications<br>Compliance support by<br>Windows, Red Hat or<br>Novell or Oracle Cluster<br>or Linux or AIX S/W | Yes  | *           |
| DVD ROM (or better)   | 8x or better   | *           |
| Network Card<br>Supported   | 1G   | *           |
| FC HBA Dual port card   | NA   | *           |
| FC HBA Dual port card<br>Speed  | NA   | *           |

| Power Management   | Screen blanking, hard disk & system idle mode in power on, set up password, power supply surge protected | * |
|--|--|---|
| Redundant Power<br>Supply  | Yes  | * |
| Redundant Fan  | Yes  | * |
| Declare SPEC<br>int_rate_base 2006;<br>specfp_rate_2006 for<br>1,2,4,8 prcessor as<br>applicable   | yes  | * |
| Server scalability to be achieved within the box without adding nodes  | Yes  | * |
| RoHS Compliance  | Yes  | * |
| BIS Registration number & its Validity   | R-67000043   | * |
| Max. power<br>consumption of the<br>system (Watt)  | 750  | * |
| Availability of Type test reports consisting of verification of all the features & functional parameters & environmental tests sequences as under: a Dry heat test (For 16 hrs at a temperature of 45 degree C in accordance with IS: 90 00/part-3/section-5/197 7) b Cold test(For 4 hrs at a temperature of 0 degree C in accordance with IS: 9000/part-2/sec tion-4/1977 c Damp Heat Cyclic Test ( For 2 cycles of 24 hrs at a temperature of 40 degree C & 95% RH in accordance with IS: 90 00/part-5/section-1/198 1) Note:- The server shall be checked for all the parameters before conditioning, After completion of the above environmental tests sequence, with a recovery period of 1 to | No   | * |

|     | hrs, the server shall be functional |                     |                   |
|-----|-------------------------------------|---------------------|-------------------|
| P   | ower Supply                         | 230 V +/-10%, 50 Hz | *                 |
| 1 1 | On Site OEM<br>Warranty (years)     | 5                   | 1, 3, 5 Or higher |

<sup>\*</sup> Bold specifications are the golden parameters.

## **Consignees/Reporting Officer and Quantity**

| S.No. | Consignee/Reporti<br>ng Officer | Address  | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1     | RAVINDRA BHOIR                  | 400001,PARIVAHAN<br>BHAVAN, BEST MARG,<br>ELECTRIC HOUSE, COLABA | 2        | 30            |

## Computer Mouse Or Trackballs (2)

## **Technical Specifications**

## \* As per GeM Category Specification

| Specification | Specification Name | Values | Allowed Values |
|---------------|--------------------|--------|----------------|
| Specification |                    |        |                |

<sup>\*</sup> Bold specifications are the golden parameters.

## **Consignees/Reporting Officer and Quantity**

| S.No. | Consignee/Reporti<br>ng Officer | Address  | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1     | RAVINDRA BHOIR                  | 400001,PARIVAHAN<br>BHAVAN, BEST MARG,<br>ELECTRIC HOUSE, COLABA | 2        | 30            |

## **Operating System Software (2)**

## **Technical Specifications**

## \* As per GeM Category Specification

| Specification  | Specification Name       | Values                        | Allowed Values   |
|--|--------------------------|-------------------------------|--|
| BASIC INFORMATION<br>OF OPERATING SYSTEM<br>SOFTWARE(GOLDEN) | Software Domain/<br>Type | Proprietary<br>Item,Perpetual | Proprietary Item,<br>Enterprise open source,<br>Perpetual, Subscription,<br>Renewal of licence for<br>one year |

| FEATURES AND<br>FUNCTIONALITY<br>PARAMETERS(GOLDEN) | Type of Operating<br>System  | Server (Network)<br>Operating System | Desktop/ Laptop/ Personal Computers/ Work-Station Operating System, Mobile Devices/ Tablet Computers Operating System, Server (Network) Operating System, Mainframe Operating System, Super Computer Operating System, Web server Operating System |
|---|--|--------------------------------------|--|
|   | Tasking  | multi-tasking OS                     | single tasking OS, multi-<br>tasking OS  |
|   | Users  | Multi User                           | Single User, Multi User  |
|   | Distributed<br>Operating System  | Yes                                  | Yes, No  |
|   | Resource Access<br>Control   | Yes                                  | Yes, No  |
|   | Installation and<br>Demonstration  | Yes                                  | Yes, No  |
|   | Supports<br>Virtualization   | Yes                                  | Yes, No  |
|   | No. of days Training<br>Provided at Site<br>(DAYS)   | 0                                    | 0, UPTO 5, 6 TO 10, 11<br>to 20  |
|   | Number of Years<br>upto which<br>Support(Warranty) is<br>available from OEM /<br>Franchise online<br>(YEARS) | 1                                    | 1, 2, 3, 5   |
| FEATURES AND FUNCTIONALITY                          | Real-time Operating<br>System  | Yes                                  | *  |
| PARAMETERS(GENERIC)                                 | Library Operating<br>System  | No                                   | *  |
|   | Graphical User<br>Interface (GUI)  | Yes                                  | *  |
|   | Supported File Systems   | Disk file systems                    | *  |
|   | Kernel Type  | Micro Kernel                         | *  |
|   | Package Management   | No                                   | *  |
|   | If Yes, details of<br>Packages   | Proprietary software systems         | *  |
|   | Bit-type (BITS)  | 64                                   | *  |
|   | Native APIs  | No                                   | *  |

|  | Non-Native APIs<br>supported through<br>subsytems | No       | * |
|--|---|----------|---|
|  | Subsystem Isolation<br>Mechanisms                 | No       | * |
|  | High availability extension                       | No       | * |
|  | Integrated Firewall                               | Yes      | * |
|  | Encrypted File System                             | Yes      | * |
| SUPPORTED<br>HARDWARE<br>REQUIREMENT<br>PARAMETERS |   |          |   |
| GENERIC PARAMETERS OF OPERATING SYSTEM             | Free Upgradation to<br>Higher Version             | YES      | * |
| SOFTWARE   | Valid Licence copy to be provided                 | YES      | * |
|  | Software supplied through                         | URL Link | * |

<sup>\*</sup> Bold specifications are the golden parameters.

## **Consignees/Reporting Officer and Quantity**

| S.No. | Consignee/Reporti<br>ng Officer | Address  | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1     | RAVINDRA BHOIR                  | 400001,PARIVAHAN<br>BHAVAN, BEST MARG,<br>ELECTRIC HOUSE, COLABA | 2        | 30            |

#### **EMD Detail**

| Required | No |
|----------|----|
|----------|----|

#### ePBG Detail

| Required | No |
|----------|----|

## **Splitting**

Bid splitting not applied.

## Special terms and conditions for category computer servers

1) As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 40 percent to qualify as local or domestic manufacturer.

# **Buyer Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Procurement under this bid is reserved for purchase from: Local Supplier as defined in Public Procurement (Preference to Make in India), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products.
- 3. Purchase preference will be given to MSME and Startup (Local supplier): (if L-1 is not from selected category and 4 / 5 Seller (s) from selected category has/have quoted price within L-1 + Local Supplier as defined in Public Procurement (Preference to Make in India 20%), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products % of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and award contract for percentage of total value as defined/ decided in relevant policy) Local Supplier as defined in Public Procurement (Preference to Make in India 20%), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products
- 4. Inspection charges shall be borne by the supplier and it shall not be reimbursed by indenter to them at any point in time. Cost of inspection shall be factored in by the supplier in the cost of the product itself while submitting bid. The inspection agency will conduct the inspection and submit the certificate to the supplier as well as the buyers and consignees. The bidder will be solely responsible for pre-inspected material for Quality Assurance including pre-despatch inspection/testing at manufacturer's site by IIT
- 5. **Availability of service Centres :** Bidder /OEM must have Service Centre In the District of each Consignee's Location
- 6. **Dedicated toll Free Telephone No. for Service Support :** BIDDER /OEM must have **Dedicated toll Free Telephone No. for Service Support**
- 7. Escalation Matrix For Service Support: Bidder /OEM must provide Escalation Matrix of Telephone Numbers for Service Support
- 8. Timely Servicing / rectification of defects during warrantee period: After having been notified of the defects / service requirement during warrantee period, Seller has to complete the required Service / Rectification within time limit specified. If the Seller fails to complete service / rectification with defined time limit, a penalty of defined % of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).
  - (i) Time Limit for Service / Rectification of defects will be as defined in the SLA document for the service.
  - (ii) Penalty per week of delay as % of unit price of product will be as defined in the SLA document for the service.

Seller to give compliance Yes / No while submitting bid.

This Bid is also governed by the General Terms and Conditions

---Thank You---